

AERODROME CHART - ICAO


ARP 535157N 0013938W

AD ELEV 681FT

LEEDS BRADFORD EGNM

GUND (Geoid Undulation) = The height of the Geoid (MSL) above the Reference Ellipsoid (WGS 84) at the stated position.	
BEARINGS ARE MAGNETIC ELEVATIONS AND HEIGHTS ARE IN FEET	
ELEVATIONS IN FEET AMSL	681

RUNWAY/TAXIWAY/APRON PHYSICAL CHARACTERISTICS			
APRON / RWY / TWY	SURFACE	BEARING STRENGTH	ELEVATION
RWY 14/32	Grooved Concrete	51/R/B/W/T	-
Main Apron	Concrete	61/R/A/W/T	658ft amsl
Taxiway A	Concrete	61/R/A/W/T	-
Taxiway D	Concrete	61/R/A/W/T	-
Taxiway F	Asphalt	32/F/A/W/U	-
Taxiway G	Asphalt	32/F/A/W/U	-
Taxiway L	Asphalt	59/F/D/X/T	-
Taxiway M	Asphalt	-	-
Taxiway N	Asphalt	-	-



COM		
ATIS	118.025	LEEDS INFORMATION
RAD	133.125	LEEDS RADAR
TWR	120.300	LEEDS TOWER
	121.800	LEEDS DELIVERY
	121.600	LEEDS FIRE
LIGHTING		
THR 14/32	HI green with HI W bars.	
RWY 14/32	HI elev bi-d edge with LI omni-d component. HI colour coded C/L. End lights red. TDZ 900m (RWY 32 only).	
TWY	Blue edge colour coded via D3, B and C exits.	

CHANGE: HOTSPOT ADDED. COM.

AERO INFO DATE 16 AUG 11